

PAPILIO ÆNEAS
ET
PAPILIO PERANTHUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

P. ÆNEAS. P. alis nigris ; primoribus supra macula viridi, posterioribus macula palmata sanguinea.

Lin. Syst. Nat. Gmel. p. 2233.

P. alis dentatis atris : primoribus supra macula viridi, posticis macula palmata sanguinea.

Lin. Syst. Nat. p. 747.

Eq. Tr.

P. PERANTHUS. P. alis dentato-caudatis nigris, supra basi viridibus, subtus apice pallidis, posterioribus lunulis septem fulvis.

Lin. Syst. Nat. Gmel. p. 2232.

Eq. Tr.

PAP,

PAP. PERANTHUS.

Fabr. mant. ins. 2. p. 4 ?

Ostenditur in tabula papilionum duorum perelegantium et exoticorum vera magnitudo, quorum qui altius depingitur Indiam, qui inferius, Cochinchinam incolit.

ÆNEAS & PERANTHUS.



GENERIC CHARACTER.

Antennæ commonly thickening towards the end into a clavated tip.

Wings (when at rest) meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

ÆNEAS. Black Butterfly with denticulated wings, the upper pair marked above by a green spot, the lower by a blood-red pal-mated spot.

PERANTHUS. Black Butterfly with denticu-lated tailed wings green at the base.

Green-shouldered Cochinchina Butterfly,

Of the two beautiful exotic Butterflies exhibited on the present plate the superior is a native of India, and the inferior of Cochinchina: both are represented in their natural size.

